



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁴ : A61K 35/20, 37/02, C07K 3/24 C07K 15/00 // A61K 7/48	A1	(11) International Publication Number: WO 86/ 00525 (43) International Publication Date: 30 January 1986 (30.01.86)
(21) International Application Number: PCT/HU85/00042 (22) International Filing Date: 12 July 1985 (12.07.85) (31) Priority Application Number: 2751/84 (32) Priority Date: 13 July 1984 (13.07.84) (33) Priority Country: HU (71) Applicant (for all designated States except US): ECON- OMIX KÖZGAZDÁSZ EGYETEMI KISSZÖVET- KEZET [HU/HU]; Dimitrov tér 8, H-1093 Budapest (HU). (72) Inventor; and (75) Inventor/Applicant (for US only) : SZABÓ, Szigfrid [HU/HU]; Szivárvány u. 1. I/8, H-2040 Budaörs (HU). (74) Agent: PATENTBUREAU DANUBIA; P.O. Box 198, H-1368 Budapest (HU).		(81) Designated States: AT (European patent), AU, BE (Eu- ropean patent), BG, BR, CH (European patent), DE (European patent), DK, FI, FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), NO, RO, SE (European patent), SU, US. Published <i>With international search report.</i>
(54) Title: PROCESS FOR THE PREPARATION OF A PHARMACEUTICAL COMPOSITION INFLUENCING THE TISSUE METABOLISM AND HAVING A REGENERATING ACTION (57) Abstract Preparation of a pharmaceutical composition influencing the tissue metabolism and having a regenerating action, which comprises adding crystal water-free potassium aluminium sulphate to a milk kept at a temperature above 90°C, then separating the solid material from the solution after the segregation of the obtained dispersion and optionally adding an aromatizing, perserving or colouring agent to the solution. The composition of the invention has an excellent regenerating action on the skin, muscle and bones. The metabolism disturbances of the tissues are also abolished, whereby the improve- ment of e.g. vascular stenoses can be achieved.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GA	Gabon	MR	Mauritania
AU	Australia	GB	United Kingdom	MW	Malawi
BB	Barbados	HU	Hungary	NL	Netherlands
BE	Belgium	IT	Italy	NO	Norway
BG	Bulgaria	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali		
FR	France				

PROCESS FOR THE PREPARATION OF A PHARMACEUTICAL COMPOSITION
INFLUENCING THE TISSUE METABOLISM AND HAVING A REGENERATING
ACTION

5

Technical field

The invention relates to a process for the preparation of a pharmaceutical composition influencing the tissue metabolism and having a regenerating action, the effect of which mainly appears in promoting the tissue regeneration and assuring the tissue metabolism; however, this composition is also useful, inter alia for abolishing spastic muscle states and for relieving pain.

It has unexpectedly been recognized that a composition having the effects mentioned above can be obtained by adding crystal water-free potassium aluminium sulphate to a milk kept at a temperature above 90 °C, then separating the solution from the solid material after the segregation of the obtained dispersion and optionally adding aromatizing, preserving and colouring agents to the solution.

Disclosure of the invention

Based on these facts, the invention relates to the preparation of a pharmaceutical composition influencing the tissue metabolism and having a regenerating action. The process of invention comprises adding crystal water-free potassium aluminium sulphate to a milk kept a temperature above 90 °C, separating the solution from the solid material after the segregation of the dispersion thus obtained and optionally adding aromatizing, preserving and colouring agents to the solution.

It can be supposed that the active agent of the composition prepared by using the process of invention is the whey obtained in the way described above. Although no mode of action is postulated, it is supposed that for the



- 2 -

tissue metabolism the products, the appropriate concentration of which is indispensable for the tissue regeneration in a given period, are provided by the amino acid content of the whey.

5 It has been proved by investigating the acid-base balance and the gas tension parameters as well as the changes in the whole resting respiratory function of the human body that the composition is rapidly and significant-
10 ly absorbed through the skin. The acid-base balance is shifted to a moderately metabolic acidosis which is then later shifted back to a mild alkalosis as a consequence of the amino acid metabolism.

 In addition to the general action mentioned above, the function of the respiratory system also becomes more
15 economical and the capacity thereof is enhanced by the composition of the invention.

 All these observations indicate that by using the composition of the invention metabolizing acidic substances, which are indispensable for a tissue regeneration, can be
20 advantageously introduced into the organism through the skin, that is, in a fully new way. These acidic substances exert an advantageous influence on the interior homeostasis of the cells and of the intercellular substance through the acid-base balance. The substances required for the tissue
25 regeneration are directly provided to the cells by the amino acid content of the composition of invention through a direct diffusion, i.e. without the intervention of the systemic blood circulation. As the application through the skin of such substances is unknown to our best knowledge,
30 a comparison to known oral or parenteral compositions is void of any sense.

 As starting materials of the process of invention, fatty cow milk can preferably be used, however a less fatty cow milk or e.g. goat's milk can also be used.

35 For treating the milk, crystal water-free potassium

- 3 -

aluminium sulphate, suitably alum heated at a temperature between 300 °C and 400 °C is used.

According to a practical embodiment of the process of invention, 1.6 to 2.1 g, depending from the fat content of the milk, of crystal water-free potassium aluminium sulphate are suitably added portionwise to 1 litre of milk, preferably at the boiling point of the milk, whereby the casein and fatty materials are precipitated. After some time, the supernatant becomes substantially pure and can be separated. For this purpose filtration and/or centrifugation are suitably used.

On carrying out the process of invention with a crystal water-free potassium aluminium sulphate obtained by heating natural or amorphous alum at 250 °C to melting and then up to the re-solidification /a spongy structure being formed/, after the segregation of the dispersion a completely pure solution is obtained, whereby a filtration becomes unnecessary.

The thus-obtained solution is actually suitable for a therapeutical use, but an aromatizing agent should be added for masking the inconvenient odour of the materials arising from the milk and a preserving agent has to be mixed in for preventing the decomposition of the materials arising from the milk. A colouring agent may also be added optionally to the composition for promoting the acceptability of the use thereof.

According to a preferred embodiment of the process of invention, an extract arising from a medicinal plant /herb/ is used as an aromatizing agent, whereby the inconvenient odours are fully masked and simultaneously, the medicinal plant extract may have an own advantageous action. The aqueous extract of woundwort /Solidago gigantea Ait. or Solidago serotina/, of Glechoma hederacea L., and of herb-ovy /Teucrium chamaedrys L./, or of silver-weed /Potentilla anserina L./ together with the above-mentioned

- 4 -

three medicinal plants may suitably be used as aromatizing agent. The aqueous extract can be prepared in a manner known in the art, suitably by boiling a mixture containing an 1:1 ratio by weight of the medicinal plants
5 with water for 5 minutes and queezing the juice obtained through a press.

Instead of the medicinal plant extracts mentioned above, any other aromatizing agent commonly used in the pharmaceutical industry, such as pine, hay or orange
10 aroma, may be used as aromatizing agent.

Similarly, preservatives commonly used for preparing pharmaceutical compositions may be used as preserving agents in the process of the invention. It is suitable to use ethanol, preferably pure ethanol of 96 %. Within a
15 large-scale production, e.g. 70 % by volume of whey, 23 % by volume of pure 96 % ethanol and 7 % by volume of a medicinal plant extract /optionally containing 96 % ethanol, suitably 1 litre of pure 96 % ethanol for each
20 4 litres of the aqueous extract/, calculated for 1 litre of the pharmaceutical composition, may be used. Instead of ethanol, other preservatives may also be employed, by the use of which the whey liable to fermentation is preserved, the amino acid contents are not damaged, the treated skin is not irritated and the preserving effect is exerted
25 even if the composition of the invention comes into contact with the skin.

Industrial applicability

The compositions prepared by using the process of
30 the invention are utilized for pharmaceutical purposes as follows.

Suitable ready-for-use formulations of the compositions of the invention are the liniment, lotion and spray which may be prepared in a manner well-known in the
35 pharmaceutical industry, optionally by employing the

- 5 -

additives commonly used for these types of pharmaceutical formulations.

Obviously, the amount and manner of the active substances used for a therapeutic purpose are dependent
5 on a number of factors such as the status of the patient, the effectivity and concentration of the active substance as well as the formulation.

The composition of the invention is suitably applied by infriktion to the body part to be treated daily 2 to 5
10 times.

An optimum effect on diseases caused by vascular stenoses is provided by three treatments per day.

The treatment is carried out as follows.

The composition of the invention is applied to the
15 surface to be treated by hand or in a spray form. After absorption, the treatment is repeated and, after the second absorption, a third infriktion is made. It is essential to keep the surface to be treated wet for about 10 minutes. As mentioned above, this treatment can be
20 accomplished daily 3 times.

In the course of a rehabilitation after knee operations, the use of lotions is convenient. In this case, it is suitable to pour the agent daily 5 to 10 times onto the body part covered with a compress.

25 The main therapeutic effects of the compositions prepared according to the process of the invention are as follows.

1. On the basis of the mode of action described above, it can be stated that the cellular activity is
30 stimulated and normalized by the amino acids introduced by the composition into the tissues, as the substances required thereto are provided in the appropriate quantity, time and manner.

2. A therapeutic chain reaction in several directions
35 is started in the organism as a consequence of the

- 6 -

regenerated advantageous cellular activity, whereby a rapid improvement or recovery is achieved in the following cases:

5 a/ A regenerating action on the skin, muscle and bones: the restoration of ulcers, gangrenes and other wounds, as well as a rapid rehabilitation after muscle lesions, cartilage- and syndesmoplastic operations and the like;

10 b/ Abolishment of metabolic disturbances: a restoring effect in vascular stenoses is achieved by the improvement of the metabolic economy in the musculature of the extremities, i.e. the metabolic disturbances thereof are abolished, while the blood circulation remains unchanged and the deficient states get a balance /in the cases of
15 arteriosclerosis obliterans, endarteriitis obliterans and the consequences thereof/;

20 c/ The composition of the invention shows an outstanding analgesic effect: the pain is abolished or alleviated to a minimum at 10 to 15 minutes after the infraction.

Modes of carrying out the invention

The invention is illustrated by the following non-limiting Examples.

25

Example 1

Commercially available crystalline alum /potassium aluminium sulphate; $KAl(SO_4)_2 \cdot 12H_2O$ is heated at a temperature between 300 °C and 400 °C, whereby the alum
30 becomes free from the crystal water, then it melts and re-solidifies. A spongy-structured material is obtained.

Fatty milk is heated to the boiling point and 1.8 g of the above-described spongy alum, calculated for 1 litre of milk, are added under continuous boiling. The mixture
35 is then boiled for 10 minutes and after the complete

- 7 -

precipitation of casein, the supernatant solid materials are removed from the milk surface by using a filter bag to give an opalescent, transparent liquid. After cooling down of the filtrate to a temperature between 35 °C and 40 °C, 1 litre of 96 % ethanol, calculated for each 4 litres of the filtrate, is added.

A decoction is prepared from 250 g of woundwort, 250 g of *Glechoma hederacea* L. and 250 g of herb-ovy with 6 litres of water during 5 minutes, whereupon the juice of the medicinal plants are queezed through a press to give a decoction of about 4 litres. Each 4 litres of this decoction is mixed with 1 litre of 96% ethanol.

75 ml of the decoction containing ethanol are added to 925 ml of the filtrate prepared as described above.

Example 2

The process described in Example 1 is followed, except that 200 g of woundwort, 200 g of *Glechoma hederacea* L., 200 g of herb-ovy and 200 g of silver-weed are used as medicinal plants.

The results of the pharmacological study on the compositions prepared according to the process of invention are described in the following Test Examples.

Test Example 1

The action of the composition prepared as described in Example 1 was investigated on 60 patients suffering from vascular stenosis /arteriosclerosis obliterans or endarteriitis obliterans/. Simultaneously, a control group consisting of 25 patients was treated by a traditional method commonly used in the medicinal practice and a control group consisting of 25 patients was treated with a liquid having the same colour and odour as that of the agent but containing no whey /negative control/. The agent was applied daily

- 8 -

3 times to the affected body parts by infriction as described above. No improvement was stated on the negative control group; a little improvement was observed on the patients treated by the traditional method; and an amelioration of the clinical symptoms in the temperature of the extremity and in the restoration of trophic ulcerations were observed in all cases on the patients treated with the composition of Example 1. Thus, the distance of claudication was increased from 100 meters or 200 meters to an infinite value, i.e. the patient became free from complaints, the frequent nocturnal sura spasms were abolished and the demarcation and drying of pyelous ulcers, crust formation, detachment of the crusts and the epithelium formation were observed even on aged patients.

15 In the course of the acute action of the composition of Example 1, the skin temperature was decreased by 3 to 4 °C, then it warmed back gradually and reached the original value as measurable on healthy individuals within 50 to 60 minutes. It was observed on using the composition of

20 Example 1 for the treatment of vascular stenoses that the temperature of the sick side was lower than that of the healthy one. The above temperature decrease was observed also here, but it is considered to be very significant that the temperature of the sick extremity did not increase only

25 to the starting value, but to a temperature identical with that of the healthy side, i.e. to a temperature higher than the starting value. When the agent was chronically applied, the resting skin temperature of the sick extremity was increased by 2 °C on using infrictions daily 5 times

30 for 2 weeks. An oscillometric examination was made on the patients to decide if the agent had any effect on the vascular stenosis or the tissue metabolism were improved with the retention of an unchanged vascular lumen. The oscillometric value was increased on the most part of the

35 patients /over the ankle, below and over the knee/; however

- 9 -

the conclusion was made that the status of the blood vessel was actually not influenced by the agent and the excellent action was achieved by an improvement in the economy of metabolism, while the blood circulation remained unchanged.

5

Test Example 2

The composition prepared according to Example 1 was used on 17 patients within the course of rehabilitation following a plaster-bandage used 6 weeks after knee operations /cartilage and syndesmoplasty/. Here, a compress was used as described above. It was stated that the severe pain appearing at the initial movements was significantly or nearly completely alleviated and the enhanced muscular tonus was also abolished. Thus, the restoration of the passive motion limits of the articulation was enhanced within a very short period and the tiredness, known as muscular strain, did not appear in the extremity during the active curative gymnastics. As a consequence, the rehabilitation period was shortened by 20 to 50 % and the troubles connected with the movements of the patients were significantly reduced.

These effects were not observed on 10 control patients.

25

Test Example 3

The action of the composition prepared as described in Example 1 was studied on 14 patients /as compared to 8 control patients/ on such types of neuritic diseases, where the irritation of a nerve was caused by a change of the condition of the musculature /functional neuritis/. In these cases, a trophic trouble was observed on the supplied area and a local blood circulation trouble was also found. The extent of the condition change was judged from the temperature of the sick area: the cooler was this area, the more pronounced was considered the change. The

- 10 -

agent was applied to the affected area daily 5 times by infriktion for 2 weeks. After ending the treatment, the collateral difference of 3 to 4 °C disappeared.

5 Test Example 4

 In addition to the general action of the composition prepared as described in Example 1, it was observed that the respiratory mid-position was shifted to a lower level on all treated patients, i.e. the inspiratory reserve
10 volumen was increased, while the expiratory reserve volumen was decreased. Thus, it has been proved that the composition exerted a very advantageous effect on the economy of the respiratory system. The maximum ventillation volumen was increased, a fact showing that the capacity of the respiratory
15 system was also enhanced in addition to the economizing effect.

 In the course of our investigations the following devices have been used:

1. Skin thermometer /Servintern Rolitron licence
20 "Thermini 130"/;
2. Thermovision equipment /AGA thermovision 780 type/.

- 11 -

What we claim is:

1. A process for the preparation of a pharmaceutical composition influencing the tissue metabolism and having
5 a regenerating action, which c o m p r i s e s adding crystal water-free potassium aluminium sulphate to a milk kept at a temperature above 90 °C, then separating the solid material from the solution after the segregation of the
10 obtained dispersion and optionally adding an aromatizing, preserving or colouring agent to the solution.
2. A process as claimed in claim 1, which
c o m p r i s e s using 1.6 to 2.1 g of crystal water-free potassium aluminium sulphate, calculated for one
litre of milk.
- 15 3. A process as claimed in claim 1 or claim 2, which c o m p r i s e s using alum heated at 300 to 400 °C as crystal water-free potassium aluminium sulphate.
4. A process as claimed in claim 1 or claim 2, which c o m p r i s e s using fatty cow milk as milk.
- 20 5. A process as claimed in any one of the claims 1 to 4, which c o m p r i s e s using a medicinal plant extract as aromatizing agent.
6. A process as claimed in claim 5, which
c o m p r i s e s using an aqueous extract of woundwort
25 /Solidago gigantea Ait. or Solidago serotina/, Glechoma hederacea L. and herb-ovy /Teucrium chamaedrys L./ as a medicinal plant extract.
7. A process as claimed in claim 5, which
c o m p r i s e s using an aqueous extract of woundwort,
30 Glechoma hederacea L., herb-ovy and silver-weed /Potentilla anserina L./ as a medicinal plant extract.
8. A process as claimed in any one of the claims 1 to 7, which c o m p r i s e s using ethanol as a preservative.
- 35 9. Pharmaceutical compositions whenever prepared by the process according to any of claims 1-8.

INTERNATIONAL SEARCH REPORT

International Application No PCT/HU 85/00042

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶ According to International Patent Classification (IPC) or to both National Classification and IPC IPC4: A 61 K 35/20, A 61 K 37/02, C 07 K 3/24, C 07 K 15/00 //A 61 K 7/48																				
II. FIELDS SEARCHED <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black;">Minimum Documentation Searched ⁷</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 30%; text-align: left; border-bottom: 1px solid black;">Classification System</th> <th style="text-align: right; border-bottom: 1px solid black;">Classification Symbols</th> </tr> <tr> <td style="vertical-align: top; padding: 5px;">Int.Cl.⁴:</td> <td style="vertical-align: top; padding: 5px;">A 61 K 35/20, 35/12, 37/02, 33/06, 33/14; C 07 K 15/00, C 07 K 15/24, 3/02, 3/24; A 61 K 7/48.</td> </tr> </table> <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸</div> <div style="text-align: center; padding: 10px 0;">AT</div>			Classification System	Classification Symbols	Int.Cl. ⁴ :	A 61 K 35/20, 35/12, 37/02, 33/06, 33/14; C 07 K 15/00, C 07 K 15/24, 3/02, 3/24; A 61 K 7/48.														
Classification System	Classification Symbols																			
Int.Cl. ⁴ :	A 61 K 35/20, 35/12, 37/02, 33/06, 33/14; C 07 K 15/00, C 07 K 15/24, 3/02, 3/24; A 61 K 7/48.																			
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹ <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%; text-align: left; border-bottom: 1px solid black;">Category ¹⁰</th> <th style="text-align: left; border-bottom: 1px solid black;">Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 10%; text-align: left; border-bottom: 1px solid black;">Relevant to Claim No. ¹³</th> </tr> <tr> <td style="vertical-align: top; padding: 5px;">A</td> <td style="vertical-align: top; padding: 5px;">AT, B, 41 810 (CASEIN AND MILK INDUSTRIES LIMITED), 11 April 1910 (11.04.10), see claim; page 1, lines 11-34.</td> <td style="vertical-align: top; text-align: center; padding: 5px;">(1)</td> </tr> <tr> <td style="vertical-align: top; padding: 5px;">A</td> <td style="vertical-align: top; padding: 5px;">GB, A, 6 247/A.D. 1908 (CARL ALBRECHT BAECHLER), 24 September 1908 (24.09.08), see claim 1; page 1, lines 21-43; page 2, lines 1-6, 14-29.</td> <td style="vertical-align: top; text-align: center; padding: 5px;">(1)</td> </tr> <tr> <td style="vertical-align: top; padding: 5px;">A</td> <td style="vertical-align: top; padding: 5px;">US, A, 2 721 861 (LAURENE O. PATERSON), 25 October 1955 (25.10.55), see claims 1-5; column 3, lines 8-14; column 5, lines 7-14, 23-27.</td> <td style="vertical-align: top; text-align: center; padding: 5px;">(1)</td> </tr> <tr> <td style="vertical-align: top; padding: 5px;">A</td> <td style="vertical-align: top; padding: 5px;">DE, A1, 3 001 300 (SOCIETE DES PRODUITS NESTLE S.A.), 24 July 1980 (24.07.80), see claims 1-4; page 3, lines 4-11; page 6, lines 8-16.</td> <td style="vertical-align: top; text-align: center; padding: 5px;">(1)</td> </tr> <tr> <td style="vertical-align: top; padding: 5px;">A</td> <td style="vertical-align: top; padding: 5px;">DE, C, 959 219 (MERZ & CO.), 28 February 1957 (28.02.57), see claims 1-4; page 1, lines 1-6; page 2, lines 30-44.</td> <td style="vertical-align: top; text-align: center; padding: 5px;">(1)</td> </tr> </table>			Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	A	AT, B, 41 810 (CASEIN AND MILK INDUSTRIES LIMITED), 11 April 1910 (11.04.10), see claim; page 1, lines 11-34.	(1)	A	GB, A, 6 247/A.D. 1908 (CARL ALBRECHT BAECHLER), 24 September 1908 (24.09.08), see claim 1; page 1, lines 21-43; page 2, lines 1-6, 14-29.	(1)	A	US, A, 2 721 861 (LAURENE O. PATERSON), 25 October 1955 (25.10.55), see claims 1-5; column 3, lines 8-14; column 5, lines 7-14, 23-27.	(1)	A	DE, A1, 3 001 300 (SOCIETE DES PRODUITS NESTLE S.A.), 24 July 1980 (24.07.80), see claims 1-4; page 3, lines 4-11; page 6, lines 8-16.	(1)	A	DE, C, 959 219 (MERZ & CO.), 28 February 1957 (28.02.57), see claims 1-4; page 1, lines 1-6; page 2, lines 30-44.	(1)
Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³																		
A	AT, B, 41 810 (CASEIN AND MILK INDUSTRIES LIMITED), 11 April 1910 (11.04.10), see claim; page 1, lines 11-34.	(1)																		
A	GB, A, 6 247/A.D. 1908 (CARL ALBRECHT BAECHLER), 24 September 1908 (24.09.08), see claim 1; page 1, lines 21-43; page 2, lines 1-6, 14-29.	(1)																		
A	US, A, 2 721 861 (LAURENE O. PATERSON), 25 October 1955 (25.10.55), see claims 1-5; column 3, lines 8-14; column 5, lines 7-14, 23-27.	(1)																		
A	DE, A1, 3 001 300 (SOCIETE DES PRODUITS NESTLE S.A.), 24 July 1980 (24.07.80), see claims 1-4; page 3, lines 4-11; page 6, lines 8-16.	(1)																		
A	DE, C, 959 219 (MERZ & CO.), 28 February 1957 (28.02.57), see claims 1-4; page 1, lines 1-6; page 2, lines 30-44.	(1)																		
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>¹⁴ Special categories of cited documents: ¹⁵</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p> </div> </div>																				
IV. CERTIFICATION <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 5px;"> Date of the Actual Completion of the International Search <div style="text-align: center; padding: 5px;">14 October 1985 (14.10.85)</div> </td> <td style="width: 50%; padding: 5px;"> Date of Mailing of this International Search Report <div style="text-align: center; padding: 5px;">17 October 1985 (17.10.85)</div> </td> </tr> <tr> <td style="padding: 5px;"> International Searching Authority <div style="text-align: center; padding: 5px;">AUSTRIAN PATENT OFFICE</div> </td> <td style="padding: 5px;"> Signature of Authorized Officer <div style="text-align: center; padding: 5px;"><i>T. Schoderer</i></div> </td> </tr> </table>			Date of the Actual Completion of the International Search <div style="text-align: center; padding: 5px;">14 October 1985 (14.10.85)</div>	Date of Mailing of this International Search Report <div style="text-align: center; padding: 5px;">17 October 1985 (17.10.85)</div>	International Searching Authority <div style="text-align: center; padding: 5px;">AUSTRIAN PATENT OFFICE</div>	Signature of Authorized Officer <div style="text-align: center; padding: 5px;"><i>T. Schoderer</i></div>														
Date of the Actual Completion of the International Search <div style="text-align: center; padding: 5px;">14 October 1985 (14.10.85)</div>	Date of Mailing of this International Search Report <div style="text-align: center; padding: 5px;">17 October 1985 (17.10.85)</div>																			
International Searching Authority <div style="text-align: center; padding: 5px;">AUSTRIAN PATENT OFFICE</div>	Signature of Authorized Officer <div style="text-align: center; padding: 5px;"><i>T. Schoderer</i></div>																			

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)

Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
A	DE, A1, 3 029 263 (DORIS COSMETIK WERK MARTIN EBERLE & CO), 19 March 1981 (19.03.81), see claims 1-4; page 2, lines 18-22.	(1)
A	GB, A, 2 052 979 (PIERRE-JEAN ASSIER DE POMPIGNAN, SERGE LIOTET), 4 February 1981 (04.02.81), see abstract; claims 1,2; page 1, lines 1-55.	(1)
A	EP, A1, 0 009 464 (VERBAND AARGAVISCHER KÄSEREI- UND MILCHGENOSSENSCHAFTEN), 2 April 1980 (02.04.80), see abstract; claims 1-3.	(1)

Anhang zum internationalen Recherchenbericht über die internationale Patentanmeldung Nr.

In diesem Anhang sind die Mitglieder der Patentfamilien der im obengenannten internationalen Recherchenbericht angeführten Patentdokumente angegeben. Diese Angaben dienen nur zur Unterrichtung und erfolgen ohne Gewähr.

Annex to the International Search Report on International Patent Application No. PCT/HU 85/00042

This Annex lists the patent family members relating to the patent documents cited in the above-mentioned International search report. The Austrian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Annexe au rapport de recherche internationale relatif à la demande de brevet international n°.

La présente annexe indique les membres de la famille de brevets relatifs aux documents de brevets cités dans le rapport de recherche internationale visé ci-dessus. Les renseignements fournis sont donnés à titre indicatif et n'engagent pas la responsabilité de l'Office autrichien des brevets.

Im Recherchenbericht angeführtes Patentdokument Patent document cited in search report Document de brevet cité dans le rapport de recherche	Datum der Veröffentlichung Publication date Date de publication	Mitglied(er) der Patentfamilie Patent family member(s) Membre(s) de la famille de brevets	Datum der Veröffentlichung Publication date Date de publication
AT-B - 41 810	11/04/1910	None	
GB-A - 6 247/A.D. 1908	24/09/1908	None	
US-A -2 721 861	25/10/1955	None	
DE-A1-3 001 300	24/07/1980	AR-A1- 219 654 BE-A1- 881 154 CA-A1-1 131 561 CH-A - 641 345 FR-A1-2 446 634 FR-B1-2 446 634 GB-A1-2 046 591 GB-B2-2 046 591 JP-A2-55-098110 NL-A -8 000 249 US-A -4 463 017	29/08/1980 15/07/1980 14/09/1982 29/02/1984 14/08/1980 18/06/1982 19/11/1980 30/03/1983 25/07/1980 18/07/1980 31/07/1984
DE-C - 959 219	28/02/1957	None	
DE-A1-3 029 263	19/03/1981	AT-A - 5 695/79 AT-B - 363 193	15/12/1980 10/07/1981
GB-A -2 052 979	04/02/1981	BE-A1- 883 935 CH-A - 644 269 DE-A1-3 024 623 FR-A1-2 460 135 FR-B1-2 460 135 JP-A2-56-053612	16/10/1980 31/07/1984 22/01/1981 23/01/1981 19/11/1982 13/05/1981

FCT/HU 85/00042

GB-A -2 052 979

04/02/1981

NL-A -8 003 802

06/01/1981

US-A -4 342 747

03/08/1982

EP-A1-0 009 464

02/04/1980

CH-A - 635 512

15/04/1983